

Aluminium locks for sideboards


Car trailers

Light commercial vehicles





ALUMINIUM LOCKS FOR SIDEBOARDS



- MINI
- KLEVER

EN Takler optimizes light vehicle bodybuilding with the **Mini** and **Klever** aluminum pillar lines. Engineered to combine lightweight performance with practicality, our systems ensure a fast, secure, and seamless dropside closure. Thanks to a wide range of heights and configurations (with or without rabbet), we offer unmatched versatility, further enhanced by the choice between high-performance polymer or steel handles for the Klever series.

IT Takler ottimizza l'allestimento dei veicoli leggeri con la linea di montanti in alluminio **Mini** e **Klever**. Progettati per coniugare leggerezza e praticità, i nostri sistemi garantiscono una chiusura delle sponde rapida, sicura e impeccabile. Grazie all'ampia gamma di altezze e configurazioni (con o senza battuta), offriamo una versatilità senza confronti, completata dalla scelta tra maniglie in tecnopolimero o acciaio per la serie Klever.

MINI

EN “MINI” Aluminium locks for sideboards


The MINI range of aluminum fasteners combines a modern design with high mechanical performance. Thanks to the **Ultramid a3z slider** and the **PA66 reinforced fork**, it stands out as the ideal choice for all types of vehicles.

- **Design & Structure:** Made of anodized aluminum featuring a sleek, modern look.
- **Maximum Durability:** The steel handle with e-coating (cataphoresis) and black epoxy powder coating, combined with the steel lever mechanism, reduces wear and ensures total corrosion resistance in any weather condition.
- **Smooth Operation:** Locking mechanism with a stainless steel return spring for smooth and fluid handle operation.
- **Versatile Range:** Available in heights from 300 to 800 mm, the range offers vertical/horizontal locking configurations, micrometric adjustment, and options with or without a rabbet.

IT Chiusure in alluminio per sponde “MINI”

La gamma di chiusure in alluminio **MINI** unisce un design moderno a elevate prestazioni meccaniche, affermandosi come **la scelta ideale per tutti i tipi di veicoli grazie all'introduzione della slitta in ULTRAMID A3Z e della forcina rinforzata in PA66.**

- **Design e struttura:** Realizzata in alluminio anodizzato dal look accattivante e moderno.
- **Massima durabilità:** La maniglia in acciaio con cataforesi e verniciatura epossidica nera, unita al meccanismo a leva in acciaio, riduce l'usura e garantisce una totale resistenza alla corrosione in ogni condizione atmosferica.
- **Funzionalità e fluidità:** Meccanismo di bloccaggio con molla di ritorno in acciaio inox per un azionamento sempre fluido.
- **Versatilità della gamma:** Disponibile con altezze da 300 a 800 mm, offre configurazioni con chiusura verticale/orizzontale, regolazione micrometrica e opzioni con o senza battuta.



MINI MINI 1

MINI MINI 2


MINI MINI 3

EN

Aluminium locks for sideboards.

IT

Montanti in alluminio per sponde.




Product Code	Handle	Rabbet	Position	H mm	kg	
TA.1.CB.DX.30	STEEL	YES	RH	300	0,79	400
TA.1.CB.DX.35	STEEL	YES	RH	350	0,84	400
TA.1.CB.DX.40	STEEL	YES	RH	400	0,89	400
TA.1.CB.DX.50	STEEL	YES	RH	500	1,00	400
TA.1.CB.DX.60	STEEL	YES	RH	600	1,11	400
TA.1.CB.SX.30	STEEL	YES	LH	300	0,79	400
TA.1.CB.SX.35	STEEL	YES	LH	350	0,84	400
TA.1.CB.SX.40	STEEL	YES	LH	400	0,89	400
TA.1.CB.SX.50	STEEL	YES	LH	500	1,00	400
TA.1.CB.SX.60	STEEL	YES	LH	600	1,11	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA.1.SB.DX.30	STEEL	NO	RH	300	0,75	400
TA.1.SB.DX.35	STEEL	NO	RH	350	0,80	400
TA.1.SB.DX.40	STEEL	NO	RH	400	0,85	400
TA.1.SB.DX.50	STEEL	NO	RH	500	0,96	400
TA.1.SB.DX.60	STEEL	NO	RH	600	1,07	400
TA.1.SB.SX.30	STEEL	NO	LH	300	0,75	400
TA.1.SB.SX.35	STEEL	NO	LH	350	0,80	400
TA.1.SB.SX.40	STEEL	NO	LH	400	0,85	400
TA.1.SB.SX.50	STEEL	NO	LH	500	0,96	400
TA.1.SB.SX.60	STEEL	NO	LH	600	1,07	400

MINI 1

HEADER

- EN** Aluminium header (with fork).
- IT** Testata in alluminio (con forcella).



Product Code	Position	H mm	kg	
TA.4.DX.30	RH	300	0,75	400
TA.4.DX.35	RH	350	0,80	400
TA.4.DX.40	RH	400	0,85	400
TA.4.DX.50	RH	500	0,96	400
TA.4.DX.60	RH	600	1,07	400
TA.4.SX.30	LH	300	0,75	400
TA.4.SX.35	LH	350	0,80	400
TA.4.SX.40	LH	400	0,85	400
TA.4.SX.50	LH	500	0,96	400
TA.4.SX.60	LH	600	1,07	400

ACCESSORIES & COMPONENTS

Header fork

Grey plastic



Top cover

Black plastic



Product Code

50000167

Side screw bolt

Galvanized steel




Product Code

50000170

MINI 2

HORIZONTAL LOCKING SYSTEM

EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.




MINI 2

Product Code	Handle	Rabbet	Position	H mm	kg	
TA.2.CB.DX.30	STEEL	YES	RH	300	0,85	400
TA.2.CB.DX.35	STEEL	YES	RH	350	0,91	400
TA.2.CB.DX.40	STEEL	YES	RH	400	0,97	400
TA.2.CB.DX.50	STEEL	YES	RH	500	1,12	400
TA.2.CB.DX.60	STEEL	YES	RH	600	1,25	400
TA.2.CB.DX.80	STEEL	YES	RH	800	1,50	320
TA.2.CB.SX.30	STEEL	YES	LH	300	0,85	400
TA.2.CB.SX.35	STEEL	YES	LH	350	0,91	400
TA.2.CB.SX.40	STEEL	YES	LH	400	0,97	400
TA.2.CB.SX.50	STEEL	YES	LH	500	1,12	400
TA.2.CB.SX.60	STEEL	YES	LH	600	1,25	400
TA.2.CB.SX.80	STEEL	YES	LH	800	1,50	320

Product Code	Handle	Rabbet	Position	H mm	kg	
TA.2.SB.DX.30	STEEL	NO	RH	300	0,80	400
TA.2.SB.DX.35	STEEL	NO	RH	350	0,86	400
TA.2.SB.DX.40	STEEL	NO	RH	400	0,92	400
TA.2.SB.DX.50	STEEL	NO	RH	500	1,07	400
TA.2.SB.DX.60	STEEL	NO	RH	600	1,20	400
TA.2.SB.DX.80	STEEL	NO	RH	800	1,45	320
TA.2.SB.SX.30	STEEL	NO	LH	300	0,80	400
TA.2.SB.SX.35	STEEL	NO	LH	350	0,86	400
TA.2.SB.SX.40	STEEL	NO	LH	400	0,92	400
TA.2.SB.SX.50	STEEL	NO	LH	500	1,07	400
TA.2.SB.SX.60	STEEL	NO	LH	600	1,20	400
TA.2.SB.SX.80	STEEL	NO	LH	800	1,45	320

Pocket
ZM Steel and Rough




Product Code	Fabric	kg
50000704	ROUGH	0,09
50000705	ZINC PLATED	0,09

Top cover
Black plastic



Product Code
50000167

Pocket b
ZM Steel and Rough



Product Code	Fabric	kg
50000418	ZM STEEL	0,09
50000425	ROUGH	0,09

Side screw bolt
Galvanized steel




Product Code
50000170

MINI 3

VERTICAL LOCKING SYSTEM

- EN** Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.



MINI 3


Product Code	Handle	Rabbet	Position	H mm	kg	
TA.3.CB.DX.30	STEEL	YES	RH	300	0,85	400
TA.3.CB.DX.35	STEEL	YES	RH	350	0,90	400
TA.3.CB.DX.40	STEEL	YES	RH	400	0,95	400
TA.3.CB.DX.50	STEEL	YES	RH	500	1,05	400
TA.3.CB.DX.60	STEEL	YES	RH	600	1,17	400
TA.3.CB.DX.80	STEEL	YES	RH	800	1,35	320
TA.3.CB.SX.30	STEEL	YES	LH	300	0,85	400
TA.3.CB.SX.35	STEEL	YES	LH	350	0,90	400
TA.3.CB.SX.40	STEEL	YES	LH	400	0,95	400
TA.3.CB.SX.50	STEEL	YES	LH	500	1,05	400
TA.3.CB.SX.60	STEEL	YES	LH	600	1,17	400
TA.3.CB.SX.80	STEEL	YES	LH	800	1,35	320

Product Code	Handle	Rabbet	Position	H mm	kg	
TA.3.SB.DX.30	STEEL	NO	RH	300	0,80	400
TA.3.SB.DX.35	STEEL	NO	RH	350	0,85	400
TA.3.SB.DX.40	STEEL	NO	RH	400	0,90	400
TA.3.SB.DX.50	STEEL	NO	RH	500	1,00	400
TA.3.SB.DX.60	STEEL	NO	RH	600	1,12	400
TA.3.SB.DX.80	STEEL	NO	RH	800	1,30	320
TA.3.SB.SX.30	STEEL	NO	LH	300	0,80	400
TA.3.SB.SX.35	STEEL	NO	LH	350	0,85	400
TA.3.SB.SX.40	STEEL	NO	LH	400	0,90	400
TA.3.SB.SX.50	STEEL	NO	LH	500	1,00	400
TA.3.SB.SX.60	STEEL	NO	LH	600	1,12	400
TA.3.SB.SX.80	STEEL	NO	LH	800	1,30	320

- EN

Assembled Zinc-plated pocket to be riveted.
- IT

Taschetta assemblata zincata da rivettare.



Product Code	Fabric	kg	
50000707	ZINC PLATED	0,04	150


Rough pocket

Rough

- EN

Rough pocket to be welded.
- IT

Taschetta grezza da saldare.



Product Code	Fabric	kg	
50000706	ROUGH	0,1	100

Top cover and side screw bolt

Black plastic and galvanized steel



Product Code
50000167

Product Code
50000170

Klever



EN “Klever” Aluminium locks for sideboards

The **Klever** range of aluminum fasteners combines engineering excellence, ease of use, and maximum customization. Thanks to its compact and patented design, it is **the ideal solution for light trailers** and bodybuilders looking for versatility and reliability.

- **Klever a & b:** Horizontal locking systems, available with or without an internal chamber, engineered for seamless and secure integration.
- **Klever c:** The evolution of vertical locking, featuring solid-pin or vertical-pin variants for maximum structural stability.


Every model is available with or without a rabbet, featuring modular heads (riveted or welded) and a range of ergonomic high-grade polymer or high-resistance steel handles.

IT Chiusure in alluminio per sponde “Klever”

La linea di chiusure in alluminio **Klever** coniuga eccellenza ingegneristica, facilità d’uso e massima personalizzazione. Grazie a un design compatto e brevettato, rappresenta **la soluzione ideale per i carrelli appendice** e le esigenze degli allestitori che cercano versatilità e affidabilità.

- **Klever a & b:** Sistemi di chiusura orizzontale, disponibili con o senza camera interna, progettati per un’integrazione fluida e sicura.
- **Klever c:** L’evoluzione della chiusura verticale, con varianti a perno pieno o perno verticale per la massima stabilità strutturale.

Ogni modello è disponibile con o senza battuta, presenta teste modulari (rivettate o saldate) e offre la scelta tra maniglie ergonomiche in polimero di alta qualità o in acciaio ad alta resistenza.




Klevera

Kleverb

Kleverc



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.




Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18069430	STEEL	YES	RH	300	0,60	400
TA 18069435	STEEL	YES	RH	350	0,65	400
TA 18069440	STEEL	YES	RH	400	0,71	400
TA 18069450	STEEL	YES	RH	500	0,81	400
TA 18069460	STEEL	YES	RH	600	0,92	400
TA 18059430	STEEL	YES	LH	300	0,60	400
TA 18059435	STEEL	YES	LH	350	0,65	400
TA 18059440	STEEL	YES	LH	400	0,71	400
TA 18059450	STEEL	YES	LH	500	0,81	400
TA 18059460	STEEL	YES	LH	600	0,92	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18269430	STEEL	NO	RH	300	0,57	400
TA 18269435	STEEL	NO	RH	350	0,62	400
TA 18269440	STEEL	NO	RH	400	0,67	400
TA 18269450	STEEL	NO	RH	500	0,77	400
TA 18269460	STEEL	NO	RH	600	0,86	400
TA 18259430	STEEL	NO	LH	300	0,57	400
TA 18259435	STEEL	NO	LH	350	0,62	400
TA 18259440	STEEL	NO	LH	400	0,67	400
TA 18259450	STEEL	NO	LH	500	0,77	400
TA 18259460	STEEL	NO	LH	600	0,86	400



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.



Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18061430	PLASTIC	YES	RH	300	0,47	400
TA 18061435	PLASTIC	YES	RH	350	0,52	400
TA 18061440	PLASTIC	YES	RH	400	0,58	400
TA 18061450	PLASTIC	YES	RH	500	0,68	400
TA 18061460	PLASTIC	YES	RH	600	0,79	400
TA 18051430	PLASTIC	YES	LH	300	0,47	400
TA 18051435	PLASTIC	YES	LH	350	0,52	400
TA 18051440	PLASTIC	YES	LH	400	0,58	400
TA 18051450	PLASTIC	YES	LH	500	0,69	400
TA 18051460	PLASTIC	YES	LH	600	0,80	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18261430	PLASTIC	NO	RH	300	0,57	400
TA 18261435	PLASTIC	NO	RH	350	0,62	400
TA 18261440	PLASTIC	NO	RH	400	0,67	400
TA 18261450	PLASTIC	NO	RH	500	0,77	400
TA 18261460	PLASTIC	NO	RH	600	0,86	400
TA 18251430	PLASTIC	NO	LH	300	0,57	400
TA 18251435	PLASTIC	NO	LH	350	0,62	400
TA 18251440	PLASTIC	NO	LH	400	0,67	400
TA 18251450	PLASTIC	NO	LH	500	0,77	400
TA 18251460	PLASTIC	NO	LH	600	0,86	400



HEADER

- EN Aluminium header (with fork).
- IT Testata in alluminio (con forcella).



Product Code	Position	H mm	kg	
TA 20630	RH	300	0,75	400
TA 20635	RH	350	0,80	400
TA 20640	RH	400	0,85	400
TA 20650	RH	500	0,96	400
TA 20660	RH	600	1,07	400
TA 20530	LH	300	0,75	400
TA 20535	LH	350	0,80	400
TA 20540	LH	400	0,85	400
TA 20550	LH	500	0,96	400
TA 20560	LH	600	1,07	400



ACCESSORIES & COMPONENTS

Header fork


Black plastic



Product Code
50000168

Top covers

Black plastic



Product Code
50000167

Side screw bolt


Galvanized steel



Product Code
50000170



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.




Product Code	Handle	Rabbet	Position	H mm	kg	
TA 17069430	STEEL	YES	RH	300	0,61	400
TA 17069435	STEEL	YES	RH	350	0,66	400
TA 17069440	STEEL	YES	RH	400	0,72	400
TA 17069450	STEEL	YES	RH	500	0,82	400
TA 17069460	STEEL	YES	RH	600	0,92	400
TA 17059430	STEEL	YES	LH	300	0,61	400
TA 17059435	STEEL	YES	LH	350	0,66	400
TA 17059440	STEEL	YES	LH	400	0,72	400
TA 17059450	STEEL	YES	LH	500	0,82	400
TA 17059460	STEEL	YES	LH	600	0,92	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 17269430	STEEL	NO	RH	300	0,60	400
TA 17269435	STEEL	NO	RH	350	0,65	400
TA 17269440	STEEL	NO	RH	400	0,70	400
TA 17269450	STEEL	NO	RH	500	0,80	400
TA 17269460	STEEL	NO	RH	600	0,90	400
TA 17259430	STEEL	NO	LH	300	0,60	400
TA 17259435	STEEL	NO	LH	350	0,65	400
TA 17259440	STEEL	NO	LH	400	0,70	400
TA 17259450	STEEL	NO	LH	500	0,80	400
TA 17259460	STEEL	NO	LH	600	0,90	400



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.



Product Code	Handle	Rabbet	Position	H mm	kg	
TA 17061430	PLASTIC	YES	RH	300	0,51	400
TA 17061435	PLASTIC	YES	RH	350	0,55	400
TA 17061440	PLASTIC	YES	RH	400	0,60	400
TA 17061450	PLASTIC	YES	RH	500	0,70	400
TA 17061460	PLASTIC	YES	RH	600	0,80	400
TA 17051430	PLASTIC	YES	LH	300	0,51	400
TA 17051435	PLASTIC	YES	LH	350	0,55	400
TA 17051440	PLASTIC	YES	LH	400	0,60	400
TA 17051450	PLASTIC	YES	LH	500	0,70	400
TA 17051460	PLASTIC	YES	LH	600	0,80	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 17261430	PLASTIC	NO	RH	300	0,50	400
TA 17261435	PLASTIC	NO	RH	350	0,54	400
TA 17261440	PLASTIC	NO	RH	400	0,58	400
TA 17261450	PLASTIC	NO	RH	500	0,68	400
TA 17261460	PLASTIC	NO	RH	600	0,78	400
TA 17251430	PLASTIC	NO	LH	300	0,50	400
TA 17251435	PLASTIC	NO	LH	350	0,54	400
TA 17251440	PLASTIC	NO	LH	400	0,58	400
TA 17251450	PLASTIC	NO	LH	500	0,68	400
TA 17251460	PLASTIC	NO	LH	600	0,78	400




EN Aluminium header (with pocket b).
IT Testata in alluminio (con taschetta b).



Product Code	Position	H mm	kg	
TA 20630	RH	300	0,75	400
TA 20635	RH	350	0,80	400
TA 20640	RH	400	0,85	400
TA 20650	RH	500	0,96	400
TA 20660	RH	600	1,07	400
TA 20530	LH	300	0,75	400
TA 20535	LH	350	0,80	400
TA 20540	LH	400	0,85	400
TA 20550	LH	500	0,96	400
TA 20560	LH	600	1,07	400


Pocket b
ZM Steel and Rough



Assembly view

Product Code	Fabric	kg
50000418	ZM STEEL	0,09
50000425	ROUGH	0,09

Top covers and side screw bolt
Black plastic and galvanized steel



Klever top cover

Product Code
50000167



Header top cover


Product Code
50000169



Product Code
50000170



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.




Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18069330	STEEL	YES	RH	300	0,59	480
TA 18069335	STEEL	YES	RH	350	0,64	400
TA 18069340	STEEL	YES	RH	400	0,70	400
TA 18069350	STEEL	YES	RH	500	0,80	400
TA 18069360	STEEL	YES	RH	600	0,91	400
TA 18059330	STEEL	YES	LH	300	0,59	400
TA 18059335	STEEL	YES	LH	350	0,64	400
TA 18059340	STEEL	YES	LH	400	0,70	400
TA 18059350	STEEL	YES	LH	500	0,80	400
TA 18059360	STEEL	YES	LH	600	0,91	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18269330	STEEL	NO	RH	300	0,56	400
TA 18269335	STEEL	NO	RH	350	0,61	400
TA 18269340	STEEL	NO	RH	400	0,66	400
TA 18269350	STEEL	NO	RH	500	0,76	400
TA 18269360	STEEL	NO	RH	600	0,86	400
TA 18259330	STEEL	NO	LH	300	0,56	400
TA 18259335	STEEL	NO	LH	350	0,61	400
TA 18259340	STEEL	NO	LH	400	0,66	400
TA 18259350	STEEL	NO	LH	500	0,76	400
TA 18259360	STEEL	NO	LH	600	0,86	400



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.




Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18061330	PLASTIC	YES	RH	300	0,46	400
TA 18061335	PLASTIC	YES	RH	350	0,52	400
TA 18061340	PLASTIC	YES	RH	400	0,57	400
TA 18061350	PLASTIC	YES	RH	500	0,68	400
TA 18061360	PLASTIC	YES	RH	600	0,78	400
TA 18051330	PLASTIC	YES	LH	300	0,46	400
TA 18051335	PLASTIC	YES	LH	350	0,52	400
TA 18051340	PLASTIC	YES	LH	400	0,57	400
TA 18051350	PLASTIC	YES	LH	500	0,68	400
TA 18051360	PLASTIC	YES	LH	600	0,78	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18261330	PLASTIC	NO	RH	300	0,44	400
TA 18261335	PLASTIC	NO	RH	350	0,49	400
TA 18261340	PLASTIC	NO	RH	400	0,53	400
TA 18261350	PLASTIC	NO	RH	500	0,63	400
TA 18261360	PLASTIC	NO	RH	600	0,73	400
TA 18251330	PLASTIC	NO	LH	300	0,44	400
TA 18251335	PLASTIC	NO	LH	350	0,49	400
TA 18251340	PLASTIC	NO	LH	400	0,53	400
TA 18251350	PLASTIC	NO	LH	500	0,63	400
TA 18251360	PLASTIC	NO	LH	600	0,73	400



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.




Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18069P30	STEEL	YES	RH	300	0,59	400
TA 18069P35	STEEL	YES	RH	350	0,64	400
TA 18069P40	STEEL	YES	RH	400	0,70	400
TA 18069P50	STEEL	YES	RH	500	0,80	400
TA 18069P60	STEEL	YES	RH	600	0,91	400
TA 18059P30	STEEL	YES	LH	300	0,59	400
TA 18059P35	STEEL	YES	LH	350	0,64	400
TA 18059P40	STEEL	YES	LH	400	0,70	400
TA 18059P50	STEEL	YES	LH	500	0,80	400
TA 18059P60	STEEL	YES	LH	600	0,91	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18269P30	STEEL	NO	RH	300	0,56	400
TA 18269P35	STEEL	NO	RH	350	0,61	400
TA 18269P40	STEEL	NO	RH	400	0,66	400
TA 18269P50	STEEL	NO	RH	500	0,76	400
TA 18269P60	STEEL	NO	RH	600	0,86	400
TA 18259P30	STEEL	NO	LH	300	0,56	400
TA 18259P35	STEEL	NO	LH	350	0,61	400
TA 18259P40	STEEL	NO	LH	400	0,66	400
TA 18259P50	STEEL	NO	LH	500	0,76	400
TA 18259P60	STEEL	NO	LH	600	0,86	400



EN Aluminium locks for sideboards.
IT Montanti in alluminio per sponde.



Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18061P30	PLASTIC	YES	RH	300	0,46	400
TA 18061P35	PLASTIC	YES	RH	350	0,52	400
TA 18061P40	PLASTIC	YES	RH	400	0,57	400
TA 18061P50	PLASTIC	YES	RH	500	0,68	400
TA 18061P60	PLASTIC	YES	RH	600	0,78	400
TA 18051P30	PLASTIC	YES	LH	300	0,46	400
TA 18051P35	PLASTIC	YES	LH	350	0,52	400
TA 18051P40	PLASTIC	YES	LH	400	0,57	400
TA 18051P50	PLASTIC	YES	LH	500	0,68	400
TA 18051P60	PLASTIC	YES	LH	600	0,78	400

Product Code	Handle	Rabbet	Position	H mm	kg	
TA 18261P30	PLASTIC	NO	RH	300	0,44	400
TA 18261P35	PLASTIC	NO	RH	350	0,49	400
TA 18261P40	PLASTIC	NO	RH	400	0,53	400
TA 18261P50	PLASTIC	NO	RH	500	0,63	400
TA 18261P60	PLASTIC	NO	RH	600	0,73	400
TA 18251P30	PLASTIC	NO	LH	300	0,44	400
TA 18251P35	PLASTIC	NO	LH	350	0,49	400
TA 18251P40	PLASTIC	NO	LH	400	0,53	400
TA 18251P50	PLASTIC	NO	LH	500	0,63	400
TA 18251P60	PLASTIC	NO	LH	600	0,73	400



HEADER



- EN Aluminium header (with pocket c).
- IT Testata in alluminio (con taschetta c).



Product Code	Position	H mm	kg	
TA 21630	RH	300	0,29	400
TA 21635	RH	350	0,34	400
TA 21640	RH	400	0,38	400
TA 21650	RH	500	0,48	400
TA 21660	RH	600	0,57	400
TA 21530	LH	300	0,29	400
TA 21535	LH	350	0,34	400
TA 21540	LH	400	0,38	400
TA 21550	LH	500	0,48	400
TA 21560	LH	600	0,57	400

ACCESSORIES & COMPONENTS




ACCESSORIES

- EN Assembled Zinc-plated pocket c to be riveted.
- IT Taschetta c assemblata zincata da rivettare.




Assembly view



Product Code	PIN	Fabric	kg	
50000165	STANDARD PIN	ZINC PLATED	0,09	150
50000317	FULL PIN	ZINC PLATED	0,09	150

EN Rough pocket c to be welded.


IT Taschetta c grezza da saldare.



Product Code	PIN	Fabric	kg	
50000166	STANDARD PIN	ROUGH	0,09	100
50000315	FULL PIN	ROUGH	0,09	100

Header top cover


Black plastic



Product Code
50000169

Top covers

Black plastic



Product Code
50000167

Side screw bolt

Galvanized steel



Product Code
50000170



takler.it

