

Ladders

Light commercial vehicles
Trucks and Trailers





TAKLER®
automotive

takler.it



Ladders

Light commercial vehicles
Trucks and Trailers

SPARE PARTS & ACCESSORIES



LADDERS



- VISION **PRO** & VISION
- I-VISION **PRO** & I-VISION
- GRIP
- SIKURA
- KARGO
- ESSENTIA
- KLIMB **PRO** & KLIMB
- EVOLUX
- DRAWER
- PIVOT
- KOMPACT
- FOLD **MINI**
- FOLD, FOLD **1**, FOLD **2**, FOLD **3**
- KATSTEP
- KATWALK & KATSIDE

EN Designed to set new standards for safety and comfort in the transport industry, Takler access steps offer a fully customizable range for the global market. Every system is engineered to optimize loading and unloading operations, ensuring fast and secure vehicle access. Our portfolio includes **pull-out, rotating, fixed, suspended, foldable and sliding** solutions, each specifically developed to meet diverse chassis configurations and operational requirements.

IT Progettate per elevare gli standard di sicurezza e comfort nel settore dei trasporti, le scalette d'accesso Takler offrono una gamma totalmente personalizzabile per il mercato globale. Ogni sistema è studiato per ottimizzare le operazioni di carico e scarico, garantendo un accesso al veicolo rapido e sicuro. La nostra offerta include soluzioni **estraiibili, fisse, girevoli, ribaltabili, ripiegabili e sospese**, ognuna ingegnerizzata per rispondere a specifiche configurazioni di telaio e necessità operative.

Vision Pro

ZM STEEL

EN Pullout ladder with platform.

IT Scaletta estraibile con pedana.





DIMENSION
CUSTOMIZATION

SWL
150 Kg

COLOUR

UNI EN 131




Product Code	L1 mm	H mm	L2 mm	B mm	A mm	S mm	Steps	kg	
TK 8170	797	374	471	421	390	78	1	10,28	36
TK 8180	890	534	471	421	390	78	2	11,34	36
TK 8190	1085	687	595	421	390	78	3	13,81	28

MODELS



All three variants are available with a grey powder-coated finish. (RAL 9007)

Example: 3-STEP LADDER VERSION



Vision

ZM STEEL

- EN Pullout ladder without platform.
- IT Scaletta estraibile senza pedana.



DIMENSION
CUSTOMIZATION




SWL
150 Kg



COLOUR

UNI EN 131



Product Code	L1 mm	H mm	L2 mm	B mm	A mm	S mm	Steps	kg	
TK 8470	541	363	436	420	390	82	1	6,07	36
TK 8480	634	523	436	420	390	82	2	7,11	36
TK 8490	876	678	606	420	390	82	3	9,15	28

MODELS

1 STEP




3 STEPS



All three variants are available with a grey powder-coated finish. (RAL 9007)

Example: 3-STEP LADDER VERSION



I-Vision Pro

STAINLESS STEEL

EN Pullout ladder with platform.

IT Scaletta estraibile con pedana.



DIMENSION
CUSTOMIZATION





SWL
150 Kg




COLOUR

UNI EN 131




Product Code	L1 mm	H mm	L2 mm	B mm	A mm	S mm	Steps	kg	
TK 8175	797	374	471	421	390	78	1	10,54	36
TK 8185	890	534	471	421	390	78	2	11,64	36
TK 8195	1085	687	595	421	390	78	3	14,19	28

MODELS



1 STEP



3 STEPS

I-Vision

STAINLESS STEEL



DIMENSION
CUSTOMIZATION





COLOUR

EN Pullout ladder without platform.


IT Scaletta estraibile senza pedana.

UNI EN 131



Product Code	L1 mm	H mm	L2 mm	B mm	A mm	S mm	Steps	kg	
TK 8475	541	363	436	420	390	82	1	6,23	36
TK 8485	634	523	436	420	390	82	2	7,32	36
TK 8495	876	678	606	420	390	82	3	9,38	28

MODELS



Grip

HOT GALVANISED





SWL
150 Kg

DIMENSION
CUSTOMIZATION


UNI EN 131

- EN** Pullout suspended ladder wide step with handles.
IT Scaletta estraibile sospesa a gradino ampio con maniglie.



Product Code	L1 mm	B mm	H mm	L2 mm	A mm	S mm	Steps	kg		
TK 9102	1539	695	498	1092	977	147	2	29,26	1	15
TK 9104	1856	780	680	1304	1183	147	3	37,35	1	15
TK 9106	2275	780	926	1587	1465	147	4	44,24	1	15

MODELS



2 STEPS



4 STEPS

Sikura

HOT GALVANISED




SWL
150 Kg

DIMENSION
CUSTOMIZATION


UNI EN 131

EN Pullout ladder wide step with handrail.


IT Scaletta estraibile a gradino
ampio con mancorrente.



Opened view




Closed view




Product Code	L1 mm	B mm	H mm	L2 mm	S mm	Steps	kg		
TK 9550	2148	757	691	1330	124	3	38,19	1	5
TK 9555	2634	757	891	1615	124	4	46,5	1	5
TK 9560	3118	757	1093	1900	124	5	53,9	1	5
TK 9565	3606	757	1290	2185	124	6	61,85	1	5


MODELS



3 STEPS



4 STEPS



6 STEPS

Kargo


HOT GALVANISED

- EN Pullout ladder wide step.
- IT Scaletta estraibile a gradino ampio.




SWL
150 Kg

UNI EN 131



Product Code	L1 mm	P mm	B mm	H mm	L2 mm	S mm	Steps	kg		
TK 9110	1068	497	706	639	1307	58	3	18,9	1	15
TK 9115	1269	497	706	841	1592	58	4	22	1	15
TK 9120	1471	497	706	1042	1877	58	5	26	1	15
TK 9125	1672	497	706	1244	2162	58	6	35,7	1	15

MODELS




Frame a

HOT GALVANISED



UNI EN 131

- EN Frame for Kargo ladder only.
- IT Telaio esterno per scaletta Kargo.



Product Code	L mm	B mm	H mm	S mm	kg		
TK 9710	1210	716	100	66	10,52	1	15
TK 9715	2065	716	100	66	16,47	1	15



Frame b

HOT GALVANISED



UNI EN 131

- EN Frame for Elite ladder only.
- IT Telaio esterno per scaletta Elite.



Product Code	L mm	B mm	H mm	S mm	kg		
TK 9730	2065	666,5	96,5	68,5	15,05	1	15

Essentia


ANODISED ALUMINIUM



SWL
150 Kg

UNI EN 131

- EN Pullout ladder wide step.
- IT Scaletta estraibile a gradino ampio.



Product Code	L1 mm	P mm	B mm	H mm	L2 mm	S mm	Steps	kg		
TK 9650	1092	500	644	664	1324	118	3	12,02	1	15
TK 9655	1293	500	644	864	1609	118	4	14,84	1	15
TK 9660	1495	500	644	1067	1894	118	5	17,66	1	15
TK 9665	1696	500	644	1268	2179	118	6	20,48	1	15

MODELS



3 STEPS



5 STEPS



6 STEPS

Klimb Pro

HOT GALVANISED




SWL
150 Kg

DIMENSION
CUSTOMIZATION

UNI EN 131

EN Pullout ladder with platform.

IT Scaletta estraibile con pedana.



Product Code	L1 mm	P mm	B mm	H mm	L2 mm	S mm	Steps	kg	Cube	Key
TK 8250	754	550	420	324	400	68	1	6,68	1	120
TK 8255	1106	797	420	462	562	68	2	10,28	1	60
TK 8260	1235	881	420	531	652	68	2	11,17	1	60
TK 8265	1366	960	420	602	750	68	3	12,25	1	60

MODELS



1 STEP



TK8255
2 STEPS



3 STEPS

Klimb


HOT GALVANISED



SWL
150 Kg


UNI EN 131

- EN Pullout ladder without platform.
- IT Scaletta estraibile senza pedana.



Product Code	L1 mm	B mm	H mm	L2 mm	S mm	Steps	kg		
TK 8650	600	420	310	400	71	1	4,46	1	120
TK 8655	850	420	460	570	71	2	6,2	1	60
TK 8660	1000	420	530	660	71	2	6,37	1	60
TK 8665	1120	420	600	750	71	3	7,96	1	60

MODELS



Evolux


ANODISED ALUMINIUM



DIMENSION
CUSTOMIZATION

UNI EN 131

- EN** 5-steps aluminum pullout ladder with platform and double handrail.
- IT** Scaletta estraibile in alluminio 5 gradini con piattaforma e doppio mancorrente.



Product Code	L1 mm	L2 mm	P mm	B mm	H mm	S mm	Steps	kg	
TK 9575	3703	2325	635,5	859	1306	72,5	5	73,74	20

Drawer


HOT GALVANISED



DIMENSION
CUSTOMIZATION

UNI EN 131


- EN** Hot-dip galvanized pullout ladder with platform, 3 steps and 1 handrail.
- IT** Scaletta estraibile con pedana, zincata a caldo, 3 gradini e 1 mancorrente.



Product Code	L1 mm	L2 mm	P mm	B mm	H mm	S mm	Steps	kg		
TK 8270	1162	700	845	507	636	72	3	14,46	1	120

ACCESSORIES & COMPONENTS

Sliding insert
Black plastic




Fits all models

Product Code

50000043

Plastic spring
Black plastic



Fits all models

Product Code

50000044

Lock
Zinc plated



Fits all models



Product Code

50000078

Kompact

HOT GALVANISED

- EN Fixed ladder.
- IT Scaletta fissa.



Product Code	L1mm	L2mm	P mm	H mm	Steps	kg		
TU 8910	378	307,1	150	627,5	1	6,77	20	20
TU 8915	378	307,1	150	627,5	2	7,27	20	20
TU 8920	340	400,1	150	627,5	1	6,65	20	20
TU 8925	340	400,1	150	627,5	2	7,15	20	20

Pivot

HOT GALVANISED




SWL
150 Kg

DIMENSION
CUSTOMIZATION

UNI EN 131

- EN Rotating ladder with handrails.
- IT Scaletta girevole con mancorrente.



Product Code	L1 mm	B mm	H mm	L2 mm	S mm	Steps	kg		
TK 9355	1380	600	866	1707	125	4	43,1	1	10
TK 9365	1564	600	1069	1988	125	5	50,3	1	10
TK 9375	1781	600	1264	2273	125	6	52,4	1	10

MODELS



5 STEPS




6 STEPS

Chassis

HOT GALVANISED

- EN Chassis bracket for Pivot rotating ladder.
- IT Staffa di ancoraggio laterale per scaletta girevole Pivot.




Assembly view - TK 9390 with TK 9355

Product Code	L mm	B mm	H mm	> < mm	kg	
TK 9390	323	124	378	6	5,8	1

Flatbed bracket

HOT GALVANISED

- EN Flatbed bracket for Pivot rotating ladder.
- IT Staffa di ancoraggio superiore pianale per scaletta girevole Pivot.



Assembly view - TK 9390 with TK 9355

Product Code	L mm	B mm	H mm	> < mm	kg	
TK 9395	650	120	370	6	7,8	1

Fold mini



ZM STEEL

- EN Assembled folding single-step ladder.
- IT Scaletta monogradino ribaltabile assemblata.



SWL
150 Kg

UNI EN 131



Product Code	Finishing	P mm	S mm	B mm	H mm	Steps	kg		
TK 8940	Hot galvanised	191	49	179	200	1	1,67	14	165
TK 8945	Zinc plated	191	49	179	200	1	1,67	14	165

Fold


HOT GALVANISED

- EN Sliding ladder with wide steps.
- IT Scaletta ripiegabile a gradini ampi.



SWL
150 Kg

UNI EN 131



Product Code	L mm	P mm	B mm	H mm	Steps	kg		
TK 9210	600	200	740	516	2	14,67	1	21

Fold 1


HOT GALVANISED

- EN Folding ladder with 1 step.
- IT Scaletta ribaltabile con 1 gradino.



SWL
150 Kg

UNI EN 131



Product Code	P mm	S mm	B mm	H mm	Steps	kg		
TK 8910	256	56	775	315	1	4,51	1	90

Fold 2



HOT GALVANISED

- EN Folding ladder with 2 wide steps.
- IT Scaletta ribaltabile con 2 gradini ampi.



SWL
150 Kg

UNI EN 131



Product Code	L mm	P mm	B mm	H mm	Steps	kg		
TK 9010	753	340	610	460	12	14,20	1	290

Fold 3



HOT GALVANISED

- EN Folding ladder with 3 wide steps.
- IT Scaletta ribaltabile con 3 gradini ampi.



SWL
150 Kg

UNI EN 131



Product Code	L1 mm	P mm	B mm	H mm	L2 mm	L3 mm	Q mm	Steps	kg		
TK 9050	978	340	560	735	779	350	492	3	31,84	1	20

Katstep



HOT GALVANISED

- EN Standing step.
- IT Gradino di stazionamento.



SWL
150 Kg

UNI EN 131



Product Code	L mm	B mm	H mm	kg		
TK 8880	450	350	33	2,66	1	50

Katwalk

ROUGH AND ALUMINIUM



EN Catwalk.

IT Passerella.



SWL
150 Kg

UNI EN 131



Product Code	Fabric	L mm	B mm	H mm	kg		
TK 8810	Steel	3000	400	40	26,37	1	40
TK 8830	Aluminium	3000	400	40	9,5	1	40

Katside

STAINLESS STEEL AND ALUMINIUM



EN Catwalk with side kick plate.

IT Passerella con battitacco.



SWL
150 Kg

UNI EN 131



Product Code	Fabric	L mm	B mm	H mm	kg		
TK 8840	Stainless steel	3000	400	110	24,2	1	40
TK 8850	Aluminium	3000	400	110	12,80	1	40



takler.it

